



1.2.12 AUTOMOBILE LINE CONVEYOR




Chain No.	Pitch P	Roller Diameter			Width Between Inner Plates b1	Pin Diameter d2	Pin Length L	Inner Plate Depth h2	Plate Thickness t/T	Tensile Strength Q	Weight Per Meter q
		d1	d3	d5							
		mm	mm	mm							
P250F1-K2	250.0	100.0	62.0	119.0	60.0	25.0	146.8	82.0	10.0	520.0/116896	43.0
P250F2-K2	250.0	100.0	62.0	120.0	60.0	25.0	155.0	82.0	10.0	450.0/101160	42.5
P250F3-K2	250.0	100.0	65.0	120.0	73.0	25.0	168.0	70.0	8.0	315.0/70812	43.3
P250F4-K2	250.0	40.0	72.0	-	25.0	25.0	127.0	50.0	8.0	160.0/35968	18.7
P250F5-K2	250.0	100.0	65.0	120.0	75.0	25.0	188.0	70.0	11.5	315.0/70812	58.8
P250F6-K2	250.0	100.0	65.0	120.0	73.0	25.0	180.8	70.0	10.0	315.0/70812	47.6

Chain No.	L1	G	F	W	h4	d4
	mm	mm	mm	mm	mm	mm
P250F1-K2	160.0	200.0	160.0	200.0	95.0	12.0
P250F2-K2	160.0	200.0	160.0	200.0	95.0	12.0
P250F3-K2	110.0	150.0	170.0	210.0	105.0	11.0
P250F4-K2	125.0	180.0	90.0	122.0	54.0	11.0
P250F5-K2	110.0	170.0	180.0	220.0	105.0	12.0
P250F6-K2	110.0	170.0	180.0	230.0	105.0	11.0

1.2.12 AUTOMOBILE LINE CONVEYOR




Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Inner Plate Depth	Plate Thickness	Attachment Size			Tensile Strength	Weight Per Meter
	P	d1	b1	d2	L	h2	t/T	L1	d3	d4	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	Kg/m
P100-F1-G2	100.0	50.8	30.0	14.5	69.0	38.1	6.3	30.0	12.0	20.0	96.0/21580	8.75




Chain No.	Pitch	Roller Diameter			Width Between Inner Plates	Pin Diameter	Pin Length	Inner Plate Depth	Plate Thickness	Tensile Strength	Weight Per Meter
	P	d1	d3	d4	b1	d2	L	h2	t/T	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kg/m
P75	75.0	22.2	40.0	49.0	22.0	11.1	102.0	32.0	4.5	58.3/13105	9.3

1.2.12 AUTOMOBILE LINE CONVEYOR




Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Thickness	Attachment Size			Tensile Strength
	P	d1	b1	d2	L	t	L1	d3	d4	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P160	160.0	65.0	32.0	15.0	71.0	6.0	115.0	154.0	70.0	140.0/31472



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth		Plate Thickness	Tensile Strength	Weight Per Meter
	P	d1	b1	d2	L	h	h2	t	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	Kg/m
P100	100.0	40.0	22.0	12.0	53.5	25.0	40.0	4.5	63.0/14162	5.1


1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Roller Diameter			Width Between Inner Plates	Pin Length	Pin Diameter		Tensile Strength
	P	d1	d3	d4	b1	L1	d2	d3	Q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P315	315.0	180.0	100.0	210.0	90.0	217.0	40.0	30.0	100.0/22727


Chain No.	L	G	F1	F2	h4	h2	d6	T
	mm	mm	mm	mm	mm	mm	mm	mm
P315	150.0	250.0	180.0	206.0	120.0	120.0	21.0	12.0

1.2.12 AUTOMOBILE LINE CONVEYOR




Chain No.	Pitch	Roller Diameter			Width Between Inner Plates	Pin Diameter	Pin Length	Inner Plate Depth	Plate Thickness	Tensile Strength	Weight Per Meter
	P	d1	d3	d4	b1	d2	Lc	h2	t/T	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kg/m
P100	100.0	36.0	50.0	60.0	32.0	15.0	118.0	40.0	6.0	100.0/22480	14.8

Chain No.	L	G	F	W	h4	d5
	mm	mm	mm	mm	mm	mm
P100	50.0	100.0	95.0	130.0	55.0	13.0




Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Diameter	Pin Length		Inner Plate Depth	Plate Thickness	Attachment Size					Tensile Strength	Weight Per Meter
	P	d1	d3	b1	d2	L	Lc	h2	t/T	C	F	W	G	M	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kg/m
P100	100.0	40.0	50.0	40.0	18.0	80.5	87.5	50.0	8.0	77	85	135	90	105	200/44960	15.5

1.2.12 AUTOMOBILE LINE CONVEYOR




Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth	Plate Thickness	Attachment Size				Tensile Strength	
	P	d1	b1	d2	L	h1	h2	t/T	A	B	C	d3	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P160	160.0	60.0	32.0	15.0	71.0	60.0	40.0	6.0	70	120	140	90	140.0/31472




Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth	Plate Thickness	Attachment Size			Tensile Strength	Weight Per Meter	
	P	d1	b1	d2	L	Lc	h2	t/T	L1	G	F	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	kg/m
P100	100.0	60.0	32.0	15.0	64.5	68.5	40.0	6.0	40.0	50.0	93.5	112/25177	16.6

1.2.12 AUTOMOBILE LINE CONVEYOR




Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length		Inner Plate Depth	Plate Thickness	Attachment Size				Tensile Strength
	P	d1	b1	d2	L	Lc	h2	t/T	C	F	G	d3	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P125	125.0	36.0	36.0	18.0	85	142	50.0	7.0	80	130	105	60	160/35988




Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Inner Plate Depth	Plate Thickness	Attachment Size			Tensile Strength
	P	d1	b1	d2	L	h2	t/T	G	W	d5	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P160	160.0	30.0	36.0	15.0	131.0	51.0	7.0	65	200	49	160/35988

1.2.12 AUTOMOBILE LINE CONVEYOR




Chain No.	Pitch	Bush Diameter		Width Between Inner Plates	Pin Diameter	Bush Length	Plate Depth	Plate Thickness	Tensile Strength
	P	d2	d3	b1	d1	L	h	T	Q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
W4065CL	250.0	42.0	50.0	60.0	28.0	82.0	70.0	10.0	370.0/83222

Chain No.	h1	h2	h3	F	G	W	K	M	r
	mm	mm	mm	mm	mm	mm	mm	mm	degree
W4065CL	140.0	36.5	180.0	183.0	165.4	111.4	192.0	154.0	6



Chain No.	Pitch	Roller Diameter	Bush Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth		Plate Thickness		Tensile Strength
	P	F	d2	b1	d1	L	h	h1	T	t	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P258	258.0	125.0	42.0	40.0	28.0	118.0	100.0	70.0	20.0	10.0	405.0/91094


1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Bush Length	Bush Diameter	Plate Depth	Plate Thickness	Tensile Strength	
	P	d2	b1	d1	L	d4	h	T	Q	
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	
P250	250.0	42.0	25.0	24.0	70.0	32.0	65.0	10.0	8.0	380.0/85471

Chain No.	M	F	W1	W2	L1	L2
	mm	mm	mm	mm	mm	mm
P250	77.3	81.35	164	136	30	19


1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Bush Diameter	Width Between Inner Plates	Pin Diameter	Plate Depth	Bearing specification		Plate Thickness		Tensile Strength
	P	d2	b1	d1	h	d3	L	T	t	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P200	200.0	40.0	60.0	28.0	55.0	82.5	25.5	10.0	12.0	300.0/67477

Chain No.	W	K	h1
	mm	mm	mm
P200	159.0	172.0	52.5


1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Bush Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth	Roller Diameter		Plate Thickness	Tensile Strength
	P	d2	b1	d1	L	h	d3	d4	T	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P250	250.0	32.0	43.0	19.0	185.0	60.0	80.0	100.0	8.0	224.0/50383


Chain No.	G	K1	K2	t	t1	M	F	H	h1	h2	h3	h4	S
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
P250	15.0	235.0	200.0	5.0	12.0	104.0	28.0	130.0	25.0	5.0	90.0	85.0	30.0

1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Roller Diameter		Width Between Inner Plates	Pin Diameter		Plate Depth	Height	Plate Thickness	Tensile Strength
	P	d2	d4	b1	d1	d3	H	h	T	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
W4697	100.0	60.0	38.0	22.0	14.0	12.0	70.0	81.0	5.0	160.0/35988
W2527R	150.0	60.0	38.0	22.0	14.0	12.0	70.0	81.0	5.0	160.0/35988
W2542R	150.0	60.0	70.0	22.0	22.0	180.0	80.0	131.0	8.0	220.0/49484
W4028R	150.0	60.0	38.0	22.0	14.0	12.0	100.0	81.0	5.0	160.0/35988
W2595R	150.0	60.0	38.0	22.0	14.0	12.0	80.0	81.0	5.0	160.0/35988


1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth	Plate Thickness	Tensile Strength
	P	d2	L	d1	L1	H	T	Q
	mm	mm	mm	mm	mm	mm	mm	kN/lbf
W2359	150.0	50.0	28.0	15.0	55.0	50.0	5.0	160.0/35988
W3057	150.0	50.0	28.0	15.0	55.0	50.0	5.0	160.0/35988
W3349	150.0	50.0	32.0	14.0	58.5	55.0	5.0	160.0/35988
W2387	150.0	50.0	32.0	14.0	63.0	55.0	6.0	160.0/35988

Chain No.	F	G	h	h1	a
	mm	mm	mm	mm	mm
W2359	145.0	68.0	81.0	20.0	56.0
W3057	145.0	65.0	81.0	20.0	60.0
W3349	145.0	80.0	85.0	20.0	56.0
W2387	145.0	80.0	81.0	20.0	56.0


1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Bush Diameter	Plate Depth	Plate Thickness	Tensile Strength
	P mm	d3 mm	b1 mm	d1 mm	d2 mm	h mm	T mm	Q kN/lbf
P100	100.0	55.0	30.0	16.0	22.0	50.0	6.0	120.0/26991


Chain No.	W	G	F	M	c1	c2	L	h1
	mm	mm	mm	mm	mm	mm	mm	mm
P100	100.0	60.0	30.0	60.0	48.0	44.0	76.0	30.0

1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Plate Depth	Plate Thickness	Height	Attachment			Tensile Strength
	P	d2	b1	d1	H	T	h	F	L	a	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P160	160.0	60.0	38.0	20.0	60.0	6.0	35.0	*	94.0	/	200.0/44985


1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth	Plate Thickness		Tensile Strength
	P	d2	b1	d1	L	H	T	t	Q
	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P125	125.0	50.0	28.0	12.0	54.5	50.0	5.0	4.0	80.0/17994


Chain No.	h	h1	c1	c2	c3
	mm	mm	mm	mm	mm
P125	32.5	36.5	/	/	/

1.2.12 AUTOMOBILE LINE CONVEYOR




Chain No.	P	L	D2	D5	D6	H	H1	S	F1	F5	a	c	f	Tensile Strength kN/lbf
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
W3810	220.0	34.0	80.0	23.0	14.0	50.0	31.0	6.0	114.5	76.0	80.0	170.0	110.0	140/31490
W4031L	220.0	34.0	80.0	30.0	20.0	90.0	60.0	6.0	115.0	76.0	72.0	40.0	154.0	224/50384
W4986LR	220.0	34.0	80.0	30.0	20.0	60.0	25.0	6.0	130.5	91.5	65.0	50.0	170.0	224/50384
W4779	250.0	32.0	80.0	21.0	15.0	60.0	40.0	6.0	110.5	73.5	48.0	50.0	140.0	112/25192
W4952	250.0	32.0	100.0	34.0	25.0	100.0	60.0	6.0	122.5	81.5	70.0	50.0	130.0	240/53983
W4999	250.0	34.0	/	30.0	20.0	80.0	48.0	6.0	116.0	77.0	58.0	50.0	185.0	260/58481
W5022	250.0	34.0	80.0	30.0	20.0	90.0	60.0	6.0	115.0	76.0	72.0	40.0	184.0	170/38238

1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch		Roller Diameter		Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth	Height	Plate Thickness	Tensile Strength	Notes
	P		d2	d4	L	d6	F1	H	h	S	Q	/
	mm		mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf	/
W2165	50.0		20.0	24.0	25.0	10.0	45.0	25.0	32.0	4.0	56/12596	RP every outer link
W2165A	50.0		20.0	24.0	25.0	10.0	45.0	/	32.0	4.0	56/12596	RP every link
W3836A	125.0		25.0	42.0	28.0	12.0	54.5	35.0	53.5	5.0	80/17994	RP every outer link
W1669	150.0		60.0	50.0	28.0	15.0	54.5	40.0	85.0	5.0	160/35988	RP every outer link
W5165	200.0		60.0	60.0	50.0	18.0	85.0	50.0	65.0	7.0	160/35988	RP every link

1.2.12 AUTOMOBILE LINE CONVEYOR



Chain No.	Pitch	Roller Diameter	Width Between Inner Plates	Pin Diameter	Pin Length	Plate Depth	Plate Thickness			Tensile Strength
	P	d2	b1	d1	L	H	T1	T2	t	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN/lbf
P304.8	304.8	50.8	25.4	25.4	332.0	50.0	5.0	7.0	6.0	300.0/67477

Chain No.	h	h1	h2	h3	h4	L1	L2	L3	L4	a	a1	a2	K	F
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
P304.8	70	20	71.5	86	60	330	300	330	230	171	245	297	4.8	26